

L Number	Hits	Search Text	DB	Time stamp
1	98	73/862.37.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 16:20
2	594	73/168.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 16:20
-	97	73/862.37.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 16:20
-	0	((transducer detector sensor) near4 (connect\$4 cooperat\$4 together join\$4) near6 (strain near2 (gage gauge))) same (toggle near2 switch) same (display read?out readout screen monitor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 15:14
-	4	((transducer detector sensor) near4 (connect\$4 cooperat\$4 together join\$4) near6 (strain near2 (gage gauge))) and (toggle near2 switch) and (display read?out readout screen monitor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 15:16
-	5	((transducer detector sensor) near4 (connect\$4 cooperat\$4 together join\$4) near6 (strain near2 (gage gauge))) and (toggle near2 switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 15:23
-	747	((transducer detector sensor) near4 (connect\$4 cooperat\$4 together join\$4) near6 (strain near2 (gage gauge)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 15:24
-	115	( pressure near4 (transducer detector sensor) near4 (connect\$4 cooperat\$4 together join\$4) near6 (strain near2 (gage gauge)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:02
-	48	(( pressure near4 (transducer detector sensor) near4 (connect\$4 cooperat\$4 together join\$4) near6 (strain near2 (gage gauge))) ) and (display read?out readout screen monitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 17:32
-	10	(( pressure near4 (transducer detector sensor) near4 (connect\$4 cooperat\$4 together join\$4) near6 (strain near2 (gage gauge))) ) and (display read?out readout screen monitor)) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:01
-	5	("4068909"   "4294500"   "4418342"   "4728834"   "4870311").PN.	USPAT	2003/08/26 15:36
-	5	("4068909"   "4294500"   "4418342"   "4728834"   "4870311").PN.	USPAT	2003/08/26 15:36
-	1	( pressure near4 (transducer detector sensor) near4 (connect\$4 cooperat\$4 together join\$4) near6 (strain near2 (gage gauge))) same ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:04
-	33	( pressure near4 (transducer detector sensor) near6 (strain near2 (gage gauge))) same ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:29

-	14	(( pressure near4 (transducer detector sensor) near6 (strain near2 (gage gauge))) same ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))) and (display read?out readout screen monitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:06
-	5	(anchor near3 earth) same ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:19
-	29	( pressure near4 (transducer detector sensor) near6 ((strain near2 (gage gauge) or (wheatstone near2 bridge)))) same ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:32
-	89	( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) near6 ((strain near2 (gage gauge) or (wheatstone near2 bridge)))) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4)) and (display read?out readout screen monitor) and ((hydraulic fluid) near4 pressure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:42
-	54	( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) near6 ((strain near2 (gage gauge) or (wheatstone near2 bridge)))) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4)) and (display read?out readout screen monitor) and ((hydraulic fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 13:17
-	14	(( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) near6 ((strain near2 (gage gauge) or (wheatstone near2 bridge)))) same ((hydraulic fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4))) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4)) and (display read?out readout screen monitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 13:38
-	14	(pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) near6 ((strain near2 (gage gauge)) or (wheatstone near2 bridge)) same ((hydraulic fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4))) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4)) and (display read?out readout screen monitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 14:30
-	582	73/168.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 16:20
-	270	73/861.42.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:37
-	22	(pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) near6 ((strain near2 (gage gauge)) or (wheatstone near2 bridge)) same ((hydraulic fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4))) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 14:37
-	41	(pressure near4 (transducer measur\$4 asses\$4 meter\$4 determin\$4 detect\$4 sens\$4) near8 ((strain near2 (gage gauge)) or (wheatstone near2 bridge)) same ((hydraulic liquid oil fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near6 (line conduit connection pipe tube tubular )))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 15:26

-	118	(pressure near4 (transducer measur\$4 asses\$4 meter\$4 determin\$4 detect\$4 sens\$4)) same ((hydraulic liquid oil fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near6 (line conduit connection pipe tube tubular )) same ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 15:40
-	0	(pressure near4 (transducer measur\$4 asses\$4 meter\$4 determin\$4 detect\$4 sens\$4)) same ((hydraulic liquid oil fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near6 (line conduit connection pipe tube tubular ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 15:43
-	0	(pressure near4 (transducer measur\$4 asses\$4 meter\$4 determin\$4 detect\$4 sens\$4)) same ((hydraulic liquid oil water fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near6 (line conduit connection pipe tube tubular ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 16:09
-	6714	(pressure near4 (transducer measur\$4 asses\$4 meter\$4 determin\$4 detect\$4 sens\$4)) same ((hydraulic liquid oil water fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near6 (line conduit connection pipe tube tubular ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 16:55
-	928	((pressure near4 (transducer measur\$4 asses\$4 meter\$4 determin\$4 detect\$4 sens\$4)) same ((hydraulic liquid oil water fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near6 (line conduit connection pipe tube tubular )) ) and ((torque torsion\$4 rotat\$4 angular angle turning) near4 (detect\$4 determin\$4 estimat\$4 sens\$4 meter\$4 measur\$4 asses\$4 calculat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 17:23
-	1979	((pressure near4 (transducer measur\$4 asses\$4 meter\$4 determin\$4 detect\$4 sens\$4)) same ((hydraulic liquid oil water fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near6 (line conduit connection pipe tube tubular )) ) and (display read?out readout screen monitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 17:34
-	348	((pressure near4 (transducer measur\$4 asses\$4 meter\$4 determin\$4 detect\$4 sens\$4)) same ((hydraulic liquid oil water fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near6 (line conduit connection pipe tube tubular )) ) and ((torque torsion\$4 rotat\$4 angular angle turning) near4 (detect\$4 determin\$4 estimat\$4 sens\$4 meter\$4 measur\$4 asses\$4 calculat\$4))) and (((pressure near4 (transducer measur\$4 asses\$4 meter\$4 determin\$4 detect\$4 sens\$4)) same ((hydraulic liquid oil water fluid) near4 pressure near4 (measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near6 (line conduit connection pipe tube tubular )) ) and (display read?out readout screen monitor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 11:35
-	3521	(hydraulic near4 (installer earth anchor\$4 device equipment)) same ((inlet outlet input output line) near3 (pressure))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 11:35
-	232	((hydraulic near4 (installer earth anchor\$4 device equipment)) same ((inlet outlet input output line) near3 (pressure))) and ((detect\$4 determin\$4 estimat\$4 sens\$4 meter\$4 measur\$4 asses\$4 calculat\$4) near4 torque)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 12:56
-	70497	(hydraulic near4 (installer earth anchor\$4 device equipment))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 15:21
-	40	((hydraulic near4 (installer earth anchor\$4 device equipment)) same ((inlet outlet input output line) near3 (pressure))) same ((detect\$4 determin\$4 estimat\$4 sens\$4 meter\$4 measur\$4 asses\$4 calculat\$4) near4 torque)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 13:20

-	12644	((hydraulic near4 (installer earth anchor\$4 device equipment)) ) and ((inlet outlet input output line) near3 (pressure)).clm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 13:18
-	767	((((hydraulic near4 (installer earth anchor\$4 device equipment)) ) and ((inlet outlet input output line) near3 (pressure)).clm) and ((detect\$4 determin\$4 estimat\$4 sens\$4 meter\$4 measur\$4 asses\$4 calculat\$4) near4 torque)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 12:59
-	213	((((hydraulic near4 (installer earth anchor\$4 device equipment)) ) and ((inlet outlet input output line) near3 (pressure)).clm) and ((detect\$4 determin\$4 estimat\$4 sens\$4 meter\$4 measur\$4 asses\$4 calculat\$4) near4 torque).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 13:43
-	6156	((hydraulic near4 (installer earth anchor\$4 device equipment)) ) and ((inlet outlet input output line) near3 (pressure) near4 (fluid flow liquid oil water)).clm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 15:22
-	42	(hydraulic near4 (installer earth anchor\$4 device equipment)) and (((inlet outlet input output line) near3 (pressure) near4 (fluid flow liquid oil water)) near10 ((detect\$4 determin\$4 estimat\$4 sens\$4 meter\$4 measur\$4 asses\$4 calculat\$4) near4 torque))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 13:22
-	112	((((hydraulic near4 (installer earth anchor\$4 device equipment)) ) and ((inlet outlet input output line) near3 (pressure) near4 (fluid flow liquid oil water)).clm) and ((detect\$4 determin\$4 estimat\$4 sens\$4 meter\$4 measur\$4 asses\$4 calculat\$4) near4 torque).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 15:23
-	3142	(hydraulic near4 (installer earth anchor\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 15:22
-	236	((hydraulic near4 (installer earth anchor\$4)) ) and ((inlet outlet input output line) near3 (pressure) near4 (fluid flow liquid oil water)).clm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 15:23
-	1	((((hydraulic near4 (installer earth anchor\$4)) ) and ((inlet outlet input output line) near3 (pressure) near4 (fluid flow liquid oil water)).clm) and ((detect\$4 determin\$4 estimat\$4 sens\$4 meter\$4 measur\$4 asses\$4 calculat\$4) near4 torque).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 15:29
-	2	5570577.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 15:20
-	2	5377550.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 15:20
-	0	(strain near2 (gage gauge) near6 solid near2 state) same (toggle near2 switch) same (display read?out readout screen monitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 10:17

-	0	(strain near2 (gage gauge) near6 solid near2 state near6 pressure) same (toggle near2 switch) same (display read?out readout screen monitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 10:17
-	39	(strain near2 (gage gauge) near6 solid near2 state near6 pressure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 12:50
-	0	(strain near2 (gage gauge) near6 pressure) same (toggle near6 switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 10:32
-	13509	(toggle near6 switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 10:33
-	852	((toggle near6 switch\$4)) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 10:33
-	160	((toggle near6 switch\$4)) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))) and (pressure near4 (transducer measur\$4 meter\$4 determin\$4 detect\$4 sens\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:39
-	25	((toggle near6 switch\$4)) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))) and (pressure near4 (transducer measur\$4 meter\$4 determin\$4 detect\$4 sens\$4))) and 73/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 10:35
-	8	(strain near2 (gage gauge) near6 solid near2 state near6 pressure) and hydraul\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 12:43
-	0	73/54.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:37
-	11	((toggle near6 switch\$4)) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4))) and (pressure near4 (transducer measur\$4 meter\$4 determin\$4 detect\$4 sens\$4)) and (battery near10 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:40
-	7	( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) near6 ((strain near2 (gage gauge) or (wheatstone near2 bridge)))) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4)) and (display read?out readout screen monitor) and ((hydraulic fluid) near4 pressure) and (battery near6 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:44
-	2	( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) near6 ((strain near2 (gage gauge) or (wheatstone near2 bridge)))) same ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angul\$4)) and (battery near6 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:45

-	169	(( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor)) same ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angl\$4)) and (battery near6 circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:46
-	24	(( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor)) same ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angl\$4)) and (battery near6 circuit)) and 73/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 10:19
-	16	(( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor)) same ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angl\$4)) same (battery near6 circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 13:03
-	0	(( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sens\$4) near6 hydraul\$4) same ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angl\$4)) and (battery near6 circuit) near10 (sens\$4 detect\$4 transduc\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 13:05
-	3	(( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sens\$4) near6 hydraul\$4) and ((measur\$4 detect\$4 determin\$4 estimat\$4 meter\$4 estimat\$4 asses\$4) near4 (rotat\$4 torsion\$4 torque angl\$4)) and (battery near6 circuit) near10 (sens\$4 detect\$4 transduc\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 13:05
-	18	(( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) near6 (strain near2 (gage gauge))) and (toggle near3 switch\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10:31
-	221	(( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) near6 (strain near2 (gage gauge))) and switch\$4 and potentiometer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10:32
-	56	(( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) near6 (strain near2 (gage gauge))) and switch\$4 and potentiometer) and ((torque rotat\$4 torsion\$4) near4 (asses\$4 detect\$4 determin\$4 sens\$4 meter\$4 measur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10:36
-	34	(( pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) near6 (strain near2 (gage gauge))) and switch\$4 and potentiometer) and ((torque rotat\$4 torsion\$4) near4 (asses\$4 detect\$4 determin\$4 sens\$4 meter\$4 measur\$4)) and (display lcd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:46
-	0	73/54.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:37
-	98	73/862.37.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:37
-	594	73/168.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:37

-	280	73/861.42.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:37
-	3	(73/54.1.ccls. 73/862.37.ccls. 73/168.ccls. 73/861.42.ccls. ) and (pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor) same (strain near2 (gage gauge))) and switch\$4 and potentiometer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:40
-	210	(pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor)) and (toggle near4 switch\$4) and potentiometer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:46
-	54	((pressure near4 (transducer measur\$4 meter\$4 determin\$4 detector sensor)) and (toggle near4 switch\$4) and potentiometer) and ((torque rotat\$4 torsion\$4) near4 (asses\$4 detect\$4 determin\$4 sens\$4 meter\$4 measur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:17